

Treatment Plant O&M SOP

Water, RO & Sanitation

Document type: Plan / SOP / strategy / guide · Generated 16 Oct 2026

This guide explains what the tool produces, how to use the output, and what to watch for. The actual output (draft/report) is generated on the tool page.

Background

Produces an operation-and-maintenance SOP for an effluent, sewage or water treatment plant — process control, monitoring, sludge, equipment care and records — for compliant, reliable running. Use it to run a treatment plant to standard.

Purpose of this tool & output

Operate and maintain ETP/STP/WTP

How the output is used

Use it to operate and maintain an ETP, STP or WTP — a treatment plant O&M SOP across operation, monitoring and upkeep.

Important cautions

O&M parameters depend on the technology and design and effluent norms are enforced; upsets cause non-compliance and safety risks (gases, confined spaces). Adapt to your plant and follow PCB norms and safety rules.

Companion documents

- ETP Design & Setup Guide
- STP Design & Setup Guide
- Water Treatment Plant (WTP) Design Guide
- Effluent Compliance & Monitoring Plan
- Sludge Management Plan
- Treatment Plant Performance Audit

This is AI-assisted guidance. Verify with a qualified professional before any binding decision. Fees, authorities and processes vary by state and change over time — confirm with your state authority.